

# Clear Creek Technical Team Annual OCAP BO Review


Matt Brown
U.S. Fish and Wildlife Service
November 8, 2010

### Outline

- Overview / Background
- RPA Required Monitoring and Reporting
- Review of Specific Actions
  - Spring Attraction Flows
  - Channel Maintenance Flows
  - Spawning Gravel Addition
  - Replace Temperature Curtain
  - Thermal Stress Reduction
  - Adaptively Manage Flows Based on New IFIM







## Alphabet Soup of Cooperators and Stakeholders

- BOR, FWS, BLM, NPS, NOAA, NRCS
- DFG, DWR, DOC, RWQCB, CDF
- Western Shasta RCD
- Shasta County, Redding Rancheria
- UC Davis and Berkeley, CSU Chico and Sacramento, Dept of Education
- Bioregional Council, Horsetown-Clear Creek Preserve, CC CRMP
- CVWUA, SMUD, NCPA, CCCSD, COR

## Alphabet Soup of Cooperators and Stakeholders


- BOR, FWS, BLM, NPS, NOAA, NRCS
- DFG, DWR, DOC, RWQCB, CDF
- Western Shasta RCD
- Shasta County, Redding Rancheria
- UC Davis and Berkeley, CSU Chico and Sacramento, Dept of Education
- Bioregional Council, Horsetown-Clear Creek Preserve, CC CRMP
- CVWUA, SMUD, NCPA, CCCSD, COR

# RPA Required Monitoring and Reporting


- Fall / spring Chinook segregation weir
- Spring Chinook snorkel survey
- Steelhead redd survey
- Juvenile steelhead trapping

Juvenile spring Chinook trapping


## Spring Chinook Cohorts Were Increasing



#### Steelhead Redd Index



#### Steelhead Juvenile Passage Increasing




## Progress Towards:


- Spring Attraction Flows
- Channel Maintenance Flows
- Spawning Gravel Addition


  Yes
- Replace Temperature Curtain
- Thermal Stress Reduction Yes / No
- Adaptively Manage to Habitat Suitability / IFIM Study Results

  Yes

- Objective: Encourage spring-run movement upstream for spawning.
- Action: Annually conduct two pulse flows in May and June of at least 600 cfs for at least three days for each pulse.
- Results: Two pulse flows were provided between May 24 and June 14, 2010.
- Results: Fish distribution inconclusive.







• Recommendations:

 Continue providing attraction flows similar in magnitude and duration to 2010.

 Experiment with higher flows that still allow water district to receive water.

# Channel Maintenance Flows No Progress Since 2008

• Action: Re-operate Whiskeytown during the winter and spring to produce channel maintenance flows.

 Results: In 2008, CALFED ERP contracted FWS to plan and implement a one-time re-operation after Reclamation completed risk analysis.

### **Channel Maintenance Flows**

 Recommendation: Reclamation and other agencies should continue discussions for possible implementation.


## Spawning Gravel Additions Yes

 Actions: Continue spawning gravel augmentation and provide report to NMFS on Implementation and Effectiveness.

### • Results:

- 13 Projects totaling 14,060 tons
- Long-term permits
- Long-term gravel supply
- Report summarized fisheries monitoring related to effectiveness.

## Spawning Area Increasing



# Monitoring To Evaluate RPA Action I.1.3. Gravel Addition

- Spawning area / redd mapping
- Macro-invertebrates
- Topography, longitudinal profile, and

facies mapping

- Sediment transport
- Sediment size



### Gravel Recommendations:

- Continue to add gravel at existing sites.
- Develop new sites.
- Provide controlled pulse flows from Whiskeytown to move supplemental gravel into the creek and create spawning habitat.

# Replace Temperature Curtain Yes

- Objective: Reduce water temperatures for listed salmonids in the Sacramento River.
- Action: Replace the Spring Creek Temperature Control Curtain in Whiskeytown Lake by 2011.
- Results: Contract awarded September 10, 2010. New curtain installation will begin spring 2011 with estimated completion by June 30, 2011.


# Thermal Stress Reduction Yes / No

- Objective: Reduce thermal stress to oversummering steelhead and spring-run
- Action: meet daily water temperatures:
  - 60°F at the Igo gage from June 1 through September 15; and
  - 56°F at the Igo gage from September 15 to October 31.
- Action: Assess improvements to modeling water temperatures and identify a schedule for making improvements.

# Percent of Time Achieving Igo Temperature Criteria

	Holding	Spawning
Period	June 1 to Sept 14	Sept 15 to Oct 31
Target	60° F	56° F
Average 2001 to 2008	99%	93%
2009	100%	28%
2010	100%	26%

### **Igo Water Temperatures 2009**




Water Temperature(°F)


### **Igo Water Temperatures 2010**




## Percent of Spring Chinook Holding Downstream of Igo



### Steelhead Redd Distribution



### Igo and RST Water Temperatures 2010



# Thermal Stress Reduction Recommendations:

- Work to maximize success of meeting Igo temperature criteria annually.
- Coordinate with other agencies to discuss options to avoid negative impacts to temperature control.
- "Reclamation, in coordination with NMFS, will assess improvements to modeling water temperatures in Clear Creek and identify a schedule for making improvements."

# Adaptively Manage to Habitat Suitability / IFIM Study Results Yes

- Objective: Improve flow management through state-of-the-art scientific analysis of habitat suitability.
- Action: Continue to operate Whiskeytown Reservoir until habitat suitability studies (e.g., IFIM) are complete.
- Action: Propose flows to reduce adverse impacts on spring-run and steelhead

## Summary of Recommendations:

- Experiment with higher spring attraction flows that still allow water district to receive water.
- Reclamation and other agencies should continue discussions for possible channel maintenance flows.
- Provide controlled pulse flows from Whiskeytown dam to move gravel into the creek and create spawning habitat.
- Assess improvements to modeling water temperatures in Clear Creek and identify a schedule for making improvements.



#### **Whiskeytown Summer Outflow Water Temperatures 2006-2010**

